# Altosid XR EXTENDED RESIDUAL BRIQUETS



#### A SUSTAINED RELEASE PRODUCT TO PREVENT ADULT MOSQUITO EMERGENCE

## SPECIMEN LABEL

#### **ACTIVE INGREDIENT:**

(S)-Methoprene (CAS #65733-16-6)	
(Dry Weight Basis)	2.1%
OTHER INGREDIENTS:	
Total	100.0%

This product contains water; therefore the weight of the briquet and percent by weight of active ingredient will vary with hydration. The ingredient statement is expressed on a dry weight basis.

EPA Reg No. 2724-421

## KEEP OUT OF REACH OF CHILDREN CAUTION

#### INTRODUCTION

ALTOSID® XR BRIQUETS are designed to release effective levels of methoprene insect growth regulator over a period up to 150 days in mosquito breeding sites. Release of methoprene insect growth regulator occurs by dissolution of the briquet. Soft mud and loose sediment can cover the briquets and inhibit normal dispersion of the active ingredient. The product may not be effective in those situations where the briquet can be removed from the site by flushing action.

ALTOSID XR BRIQUETS prevent the emergence of adult mosquitoes including: Anopheles, Culex, Culiseta, Coquillettidia, and Mansonia spp., as well as those of the floodwater mosquito complex (Aedes and Psorophora spp.) from treated water. Treated larvae continue to develop normally to the pupal stage where they die.

**NOTE:** Methoprene insect growth regulator has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION ENVIRONMENTAL HAZARDS

This product is toxic to aquatic dipteran. Using it in a manner other than that described by the label could result in harm to aquatic dipteran. Do not contaminate water when disposing of rinsate or equipment washwaters.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### APPLICATION TIME

Placement of ALTOSID XR BRIQUETS should be at or before the beginning of the mosquito season. ALTOSID XR BRIQUETS can be applied prior to flooding when sites are dry, or on snow and ice in breeding sites prior to spring thaw. Under normal conditions, one application should last the entire mosquito season, or up to 150 days, whichever is shorter. Alternate wetting and drying will not reduce their effectiveness.

#### **APPLICATION RATES**

Aedes and Psorophora spp.: For control in non-(or low-) flow shallow depressions (≤2 feet in depth), treat on the basis of surface area, placing 1 briquet per 200 ft². Briquets should be placed in the lowest areas of mosquito breeding sites to maintain continuous control as the site alternately floods and dries up.

Culex, Culiseta, and Anopheles spp.: Place one ALTOSID XR BRIQUET per 100 ft<sup>2</sup>.

Coquillettidia and Mansonia spp.: For application to cattail marshes and water hyacinth beds. For control of these mosquitoes, place one briquet per 100 ft<sup>2</sup>.

Culex sp. in storm water drainage areas, sewers, and catch basins: For catch basins, place 1 briquet into each basin. In cases of large catch basins, follow the chart below to determine the number of briquets to use. For storm water drainage areas, place 1 briquet per 100 feet square of surface area up to 2 ft deep. In areas that are deeper than 2 feet, use 1 additional briquet per 2 feet of water depth.

Large water flows may increase the dissolution of the briquet thus reducing the residual life of the briquet. Regular inspections (visual or biological) in areas of heavy water flow may be necessary to determine if the briquet is still present. The retreatment interval may be adjusted based on the results of an inspection.

Number of Briquets	Catch Basin Size (Gallons)	Surface Area/ Water Depth (ft)
1	0 – 1500	0 – 2
2	1500 – 3000	2 – 4
3	3000 – 4500	4 – 6
4	4500 – 6000	6 – 8

#### **APPLICATION SITES**

ALTOSID XR BRIQUETS are designed to control mosquitoes in treated areas. Examples of application sites are: storm drains, catch basins, roadside ditches, fish ponds, ornamental ponds and fountains, other artificial water-holding containers, cesspools and septic tanks, waste treatment and settling ponds, flooded crypts, transformer vaults, abandoned swimming pools, tires, construction and other manmade depressions, cattail marshes, water hyacinth beds, vegetation-choked phospate pits, pastures, meadows, rice fields, freshwater swamps and marshes, salt and tidal marshes, treeholes, woodland pools, floodplains, and dredging spoil sites. For application sites connected by a water system, i.e., storm drains or catch basins, all of the water-holding sites in the system should be treated to maximize the efficiency of the treatment program.

#### STORAGE AND DISPOSAL

#### **STORAGE**

Store in a cool place. Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container.

#### DISPOSAL

Dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY AND CONDITIONS OF SALE

Seller makes no warranty, express or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information, or in case of an emergency, call 1-800-248-7763 or visit our Web site: www.altosid.com.





Wellmark International Schaumburg, Illinois U.S.A.





## Supplemental Labeling

All label restrictions and Directions for Use of Altosid® XR Extended Residual Briquets apply. Now Labeled for use in known fish habitats.

#### **ACTIVE INGREDIENTS:**

\*US patents: 3,904,662 and 3,912,815

This product contains water, therefore the weight of the briquet and percent by weight of active ingredient will vary with hydration. The ingredient statement is expressed on a dry weight basis.

## CAUTION

EPA Reg. No. 2724-421-64833

INTRODUCTION: ALTOSID® XR Briquets are designed to release effective levels of methoprene insect growth regulator over a period up to 150 days in mosquito breeding sites. Release of methoprene insect growth regulator occurs by dissolution of the briquet. Soft mud and loose sediment can cover the briquets and inhibit normal dispersion of the active ingredient. The product may not be effective in those situations where the briquet can be removed from the site by flushing action.

ALTOSID XR Briquets prevent the emergence of adult mosquitoes including Anopheles, Culex, Culiseta, Coquillettidia, and Mansonia spp.as well as those of the floodwater mosquito complex (Aedes and Psorophora spp.) from treated water. Treated larvae continue to develop normally to the pupal stage where they die.

NOTE: Methoprene insect growth regulator has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment.

### PRECAUTIONARY STATEMENTS ENVIRONMENTAL HAZARDS

This product is toxic to aquatic dipteran. Using it in a manner other than that described by the label could result in harm to aquatic dipteran. Do not contaminate water when disposing of rancid or equipment washwaters.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION TIME: Placement of ALTOSID XR Briquets should be at or before the beginning of the mosquito season. ALTOSID XR Briquets can be

applied prior to flooding when sites are dry, or on snow and ice in breeding sites prior to spring thaw. Under normal conditions, one application should last the entire mosquito season, or up to 150 days, whichever is shorter. Alternate wetting and drying will not reduce their effectiveness.

APPLICATION RATES: Aedes and Psorophora spp.: For control in non-{or low-} flow shallow depressions (≤ 2 feet in depth), treat on the basis of surface area, placing 1 methoprene briquet per 200 ft². Briquets should be placed in the lowest areas of mosquito breeding sites to maintain continuous control as the site alternately floods and dries up.

Culex, Culiseta and Anopheles spp.: Place one ALTOSID XR Briquet per 100 ft<sup>2</sup>

Coquillettidia and Mansonia spp.: For application to cattail marshes and water hyacinth beds. For control of these mosquitoes, place one briquet per 100 ft<sup>2</sup>.

APPLICATION SITES: ALTOSID XR Briquets are designed to control mosquitoes in treated areas. Examples of application sites are: storm drains, catch basins, roadside ditches, fish ponds, ornamental ponds and fountains, other artificial water-holding containers, cesspools and septic tanks, waste treatment and settling ponds, flooded crypts, transformer vaults, abandoned swimming pools, tires, construction and other manmade depressions, cattail marshes, water hyacinth beds, vegetation-choked phosphate pits, pastures, meadows, rice fields, freshwater swamps and marshes, salt and tidal marshes, treeholes, woodland pools, floodplains, and dredging spoil sites. For application sites connected by a water system, i.e., storm drains or catch basins, all of the water holding sites in the system should be treated to maximize the efficiency of the treatment program.

#### STORAGE AND DISPOSAL:

**STORAGE:** Store in a cool place. Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container.

DISPOSAL: Dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, express or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For information, call 1-800-248-7763



SANDOZ AGRO, INC. 1300 EAST TOUHY AVENUE, DES PLAINES, ILLINOIS 60018