



ATTACHMENT TO COST-SHARE AGREEMENT NO. _____

620 - UNDERGROUND OUTLET

The Applicant agrees:

1. To inspect site after significant storm events and at least annually to identify repair and maintenance needs.
2. To keep inlets, orifice plates, trash guards, relief wells, collection boxes and structures clean and free of materials that can reduce the flow.
3. To ensure orifice plates are installed and working properly.
4. Repair any settlement or erosion that occurs around the pipe with soil and reseed as needed. If this problem persists, evaluate the pipe for leakage and erosion of the fill material into or along the pipe.
5. To repair leaks and broken or crushed pipe to ensure proper functioning.
6. To maintain design depth of cover on all pipelines and structures.
7. To limit traffic over pipeline to designated sections that were designed for traffic loads.
8. To check outlet pipe and animal guard to ensure proper functioning.
9. To maintain erosion protection at outlets; repair any eroded areas at the outlet.
10. To promptly repair or replace damaged or inoperable components.
11. To follow OSHA trench safety requirements during repairs of the underground outlet.
12. To protect the components from damage by farm equipment and livestock. Avoid damage to riser inlets and relief wells by farm equipment. Mark risers so they are visible to prevent damage by equipment.

I have read the above provisions and shall comply with them.

By: _____ Date: _____